

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
3 June 2004 (03.06.2004)


PCT

(10) International Publication Number
WO 2004/046724 A1

- (51) International Patent Classification⁷: **G01N 33/543**,
C12Q 1/68
- (21) International Application Number:
PCT/SE2003/001473
- (22) International Filing Date:
22 September 2003 (22.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
2002-335334 19 November 2002 (19.11.2002) JP
- (72) Inventors; and
(75) Inventors/Applicants (for US only): **INAGAWA, Junichi** [JP/JP]; 3-8-16-205, Susukino, Aoba-ku, Yokohama-shi, Kanagawa (JP). **INOMATA, Noriyuki** [JP/JP]; 701-14, Ninomiya, Ninomiya-machi, Naka-gun, Kanagawa (JP). **SUWA, Yorimasa** [JP/JP]; 3-18-4-245, Tamadaira, Hino-shi, Tokyo (JP).
- (74) Agent: **WIDEN, Björn**; Biacore AB, Rapskatan 7, S-754 50 Uppsala (SE).
- (81) Designated States (national): AU, CN, JP, US.
- (84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).
- (71) Applicants (for all designated States except US): **BIA-CORE AB** [SE/SE]; Rapskatan 7, S-754 50 Uppsala (SE). **REVERSE PROTEOMICS RESEARCH INSTITUTE CO., LTD.** [JP/JP]; 2-6-7, Kazusa-Kamatari, Kisarazu, Chiba 292-0818 (JP).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMMOBILIZATION METHOD

Immobilization of His-tag FKBP to an NTA sensor chip
(Ni + amine coupling method)



(57) **Abstract:** Various biomolecules can be firmly immobilized to a substrate by a method which comprises contacting a solution containing biomolecules provided with at least one tag with an immobilization substrate which has (i) binding sites for the biomolecule tag or tags, and (ii) activated reactive groups which are capable of forming covalent bonds with the biomolecules, to covalently bind the biomolecules interacting with the tag binding sites to the immobilization substrate.